




Why not choosing a dressing with a purely physical mode of action.

Cutimed® Sorbact® does not release any antimicrobial agents into the wound.




- Cutimed® Sorbact® is suitable for clean, colonized and infected wounds such as:**
- Chronic wounds (e.g. venous, arterial, diabetic or pressure ulcers)
 - Postoperative dehisced wounds
 - Traumatic wounds
 - Wounds after excision of fistulas and abscesses
 - Dermal fungal infections

The appropriate Cutimed® Sorbact® dressing needs to be chosen out of the entire portfolio.



* Promotes autolytic debridement in sloughy or partially **necrotic** wounds.



Cutimed® Sorbact®

Safe and effective infection management

Up to **73.1%** bacterial reduction in critically colonized wounds¹



Cutimed®,
an Essity brand

70553-00040-00 11/2019

BSN medical GmbH
An Essity company
Quickbornstraße 24, 20253 Hamburg

www.bsnmedical.com
Tel +49 40 / 49 09-909
Fax +49 40 / 49 09-6666

¹ Mosti et al. Comparative study of two antimicrobial dressings in infected leg ulcers: a pilot study. J Wound Care. 2015 Mar;24(3):121-2; 124-7



It's time to go down a new path. It's time to go green!

Due to the **purely physical mode of action**, **Cutimed® Sorbact®** binds and removes bacteria without the release of any antimicrobial agents. So experience the effectiveness of **Cutimed® Sorbact®**. **Together we can make infection management safe in every respect.**

Easy

No known
contraindications

Safe

Binds bacteria
and fungi

Clinically Proven

Demonstrated ability
to reduce bacterial
burden in critically
colonized wounds
up to 73%¹

¹ Mosti et al. Comparative study of two antimicrobial dressings in infected leg ulcers: a pilot study. J Wound Care. 2015 Mar;24(3):121-2; 124-7





Cutimed® Sorbact®
provides



all-round
infection management

Safely binds bacteria and fungi

Cutimed® Sorbact®'s effectiveness is based on a **purely physical mode of action**. This creates a variety of benefits, which make your **daily work safe**:

- No contraindications known*
- No release of antimicrobial agents
- Low risk of allergies



In addition, the dressing can be used for:

- prolonged duration of treatment**
- Children*
- Pregnant and breastfeeding women due to its physical mode of action*

* Consider limitations mentioned in the IFU in regard of Cutimed Sorbact gel
** The dressing changes should be considered acc. to patient specific needs and limitations given by the IFU.




Ease your work with convenient solutions


1. Choose **Cutimed® Sorbact®** for **prevention and infection management**^{1,2}
2. Be safe as you can use it for **chronic and acute wounds** with no known contraindications
3. Ease your **application** 
4. Treat **superficial and deep wounds** 

¹ Stanirowski et al. Randomized Controlled Trial Evaluating Dialkylcarbamoil Chloride Impregnated Dressings for the Prevention of Surgical Site Infections in Adult Women Undergoing Cesarean Section. Surg Infect (Larchmt). 2016 Aug;17(4):427-35
² Mosti et al. Comparative study of two antimicrobial dressings in infected leg ulcers: a pilot study. J Wound Care. 2015 Mar;24(3):121-2; 124-7


Cutimed® Sorbact® safely binds bacteria purely physically



An **infected** and **colonized** wound.



Cutimed® Sorbact® is applied directly to the wound. Bacteria and / or fungi are attracted to the **Sorbact®** mesh.




Bound pathogens are removed **with each dressing change**

To learn more about **Cutimed® Sorbact®**'s purely physical efficacy and mode of action, please visit our **Cutimed®** YouTube channel:



Cutimed® Sorbact® has demonstrated proven effectiveness

In a randomized, comparative, single site study of 40 patients with leg ulcers, Cutimed® Sorbact® was more effective at reducing bioburden than Aquacel® Ag.¹




Cutimed® Sorbact®		
Mode of action	Features	Benefits
Purely physical mode of action	No release of antimicrobial agents	May help reduce potential for additional irritation
	Does not release additional endotoxins ²	May reduce potential to cause additional inflammation and delay in wound healing ³
	No known mechanism of resistance has been described	May help reduce the risk of generating resistant strains of bacteria

¹ Mosti et al., Comparative study of two antimicrobial dressings in infected leg ulcers: a pilot study, Journal of Wound Care, 2015 Mar;24(3):121-2; 124-7

² As shown in vitro; Susilo YB, Husmark J, DACC Coated Wound Dressing and Endotoxin: Investigation on Binding Ability and Effect on Endotoxin Release from Gram-negative Bacteria. Poster presented at EWMA 2019.


³ Ovington L. Bacterial toxins and wound healing. Ostomy Wound Manage. 2003 Jul;49(7A Suppl):8-12. Review.



Cutimed® Siltec® Sorbact®

proven quality – no compromises

Cutimed® Siltec® Sorbact® combines the benefits of infection and exudate management by using a **bacteria-binding wound contact layer** and an **innovative, gentle foam**. It is suitable to manage the bacterial load in moderate to highly exuding wounds.




Individual and easy in its application

Due to the **special shapes** and ease of cutting, **Cutimed® Siltec® Sorbact®** can be used for all body parts, even highly contoured ones.

A detailed application poster is also available. Please ask your sales representative for further information.



To alter the shape of the dressing you can make additional cuts within the fixation border – not the foam.





Cutimed® Sorbion® Sorbact®

powerful exudate management

Cutimed® Sorbion® Sorbact® enables safe infection management and handles large amounts of exudate at the same time due to the super-absorbent core.

Increased patient safety
thanks to anti-strike-through backing layer

50% INCREASED ABSORPTION CAPACITY*


Outstanding exudate management through super-absorbent core, even under pressure

Optimised fluid distribution
thanks to non-woven distribution layer

Manages and prevents infections thanks to the effective **Sorbact®** wound contact layer

Cutimed® Sorbact® Hydroactive B

stimulates the wound



Cutimed® Sorbact® Hydroactive B manages infections and stimulates autolytic debridement of fibrin and necrotic tissue.

3-IN-1 SOLUTION

Eases total treatment by combining autolytic debridement, exudate and infection management

Allows patient mobilisation thanks to safe fixation through hydrogel adhesive border

Supports autolytic debridement

Manages and prevents infections thanks to the effective **Sorbact®** wound contact layer

Ordering information						
Cutimed®		Wound pad	Size	REF no.	Dressings per box	Shipping unit
Sorbact® Dressing pads Dressing fabric with absorbent core.			7 x 9 cm	7216101	5	16 boxes
			7 x 9 cm	7216100	40	2 boxes
			10 x 10 cm	7216201	5	16 boxes
			10 x 10 cm	7216200	40	2 boxes
			10 x 20 cm	7216300	20	2 boxes
Sorbact® Ribbon gauzes For use in cavity wounds of all kinds.*			2 x 50 cm	7216600	20	6 boxes
			5 x 200 cm	7216700	10	6 boxes
Sorbact® Swabs Flat, folded dressing for deep or superficial wounds.*			4 x 6 cm	7216401	5	24 boxes
			4 x 6 cm	7216400	40	6 boxes
			7 x 9 cm	7216501	5	24 boxes
			7 x 9 cm	7216500	40	6 boxes
Sorbact® Round Swabs Preformed for deep and superficial wounds.*			walnut	7216800	70	6 boxes
					(14 x 5)	
Sorbact® Gel Promotes autolytic debridement.			7.5 x 7.5 cm	7261100	10	36 boxes
				7.5 x 15 cm	7261101	10
Sorbact® Hydroactive Absorbent hydrogel core for low to moderately exuding wounds.		(5 x 6.5 cm)	7 x 8.5 cm	7264603	10	10 boxes
		(10 x 10 cm)	14 x 14 cm	7264604	10	10 boxes
		(15 x 15 cm)	19 x 19 cm	7264605	10	10 boxes
		(10 x 20 cm)	14 x 24 cm	7264607	10	10 boxes
		(20 x 20 cm)	24 x 24 cm	7264606	5	10 boxes
Sorbact® Hydroactive B (border) Absorbent hydrogel core for low to moderately exuding wounds; adhesive border.		(5 x 6.5 cm)	7 x 8.5 cm	7993300	10	10 boxes
		(10 x 10 cm)	14 x 14 cm	7993302	10	10 boxes
		(15 x 15 cm)	19 x 19 cm	7993303	10	10 boxes
		(10 x 20 cm)	14 x 24 cm	7993304	10	10 boxes
Siltec® Sorbact® Super-absorbent foam dressing for moderate to highly exuding wounds; silicone adhesive border.		(4 x 4 cm)	7.5 x 7.5 cm	7325100	10	10 boxes
		(6 x 6 cm)	10 x 10 cm	7325116	10	10 boxes
		(5 x 16.5 cm)	10 x 22.5 cm	7325114	10	10 boxes
		(8.2 x 8.2 cm)	12.5 x 12.5 cm	7325101	10	10 boxes
		(10 x 10 cm)	15 x 15 cm	7325102	10	10 boxes
		(12.3 x 12.3 cm)	17.5 x 17.5 cm	7325103	5	10 boxes
		(16.5 x 16.5 cm)	22.5 x 22.5 cm	7325104	5	10 boxes
Siltec® Sorbact® (oval)		(3 x 6 cm)	7 x 10 cm	7325118	10	10 boxes
Siltec® Sorbact® (sacrum)			17.5 x 17.5 cm	7325105	5	10 boxes
			23 x 23 cm	7325106	5	10 boxes
Sorbion® Sorbact® Super-absorbent dressing for highly exuding wounds.		(8 x 9 cm)	10 x 10 cm	7269800	10	12 boxes
		(7.7 x 17.8 cm)	10 x 20 cm	7269801	10	6 boxes
		(17.8 x 17.8 cm)	20 x 20 cm	7269802	10	4 boxes
		(17.5 x 27.5 cm)	20 x 30 cm	7269803	10	4 boxes
Leukomed® Sorbact®						
Especially suitable for use in post-operative wounds.		(2.8 x 3.8 cm)	5 x 7.1 cm	7619900	20	56 boxes
		(4 x 6.5 cm)	8 x 10 cm	7619901	20	12 boxes
		(4 x 11 cm)	8 x 15 cm	7619902	20	8 boxes
		(5 x 15 cm)	10 x 20 cm	7619903	20	12 boxes
		(5 x 20 cm)	10 x 25 cm	7619904	20	10 boxes
		(5 x 25 cm)	10 x 30 cm	7619905	20	8 boxes
		(5 x 30 cm)	10 x 35 cm	7619906	20	8 boxes
		(2.8 x 3.8 cm)	5 x 7.1 cm	7619907	3	100 boxes
		(4 x 6.5 cm)	8 x 10 cm	7619908	3	34 boxes
		(4 x 11 cm)	8 x 15 cm	7619909	3	42 boxes

* These dressings require an additional dressing on top to ensure proper exudate management.

Sorbact® is a registered trademark of ABIGO Medical AB. Cutimed and Leukomed are registered trademarks of BSN medical GmbH.

Ask your sales representative for more information or order your sample kit.

See for yourself – it's time to go green!

* In comparison to competitive super-absorbers – data on file.